

NK-400VACL1 /31.0  
 NK-400VACL2 /31.0  
 NK-400VACL3 /31.0  
 NK-400VACN /31.0


-30F1  
 C6/1N

0 1  
 -30S1  
 2


-30T1  
 Dixell  
 Trafo  
 230Vac  
 12Vac

-30N1  
 Dixell  
 XR170C  
 12Vac/dc

/29.3 SSM+ /31.2  
 /29.3 SSM- /31.2



-X5  
 2,5<sup>2</sup>  
 in Tür



-30B1 Abtaufühler Weinlager Bt-B-UG2  
 -30B2 Raumfühler Weinlager Bt-B-UG2  
 Anzeige Extern  
 -30Y1 Magnetventil Weinlager Bt-B-UG2  
 -30M1 Ventilator Weinlager Bt-B-UG2

CTE38H3 0,47A 75W

				Datum	25.06.15	 ELEKTRO ANLAGENBAU	Kühlung Bt-B-UG2 Bt-B-UG1 Erste Campus <b>Weinlager Bt-B-UG2 (CTE38H3)</b>	Zeichn.Nr. :	
				Bearb.	Hattinger			135/15	
				Gepr.				Blatt 30	
Zust.	Änderung	Datum	Name	Norm				von 48 Bl.	
www.elpe.net		www.elpe.net		www.elpe.net		www.elpe.net		www.elpe.net	














CTE29M6ED 0,94A 150W

Datum	25.06.15
Bearb.	Hattinger
Gepr.	
Norm	



Kühlung Bt-B-UG2 Bt-B-UG1  
Erste Campus  
KR Tages Bt-B-0G1 (CTE29M6ED)

Zeichn.Nr.:	135/15
Blatt	36
von	48 Bl.









































